



Ref. Certif. No.

DK-70600-M2-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Switching Mode Power Supply / Power Module / Rack System

Name and address of the applicant

MEAN WELL Enterprises Co., Ltd.
No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan

Name and address of the manufacturer

MEAN WELL Enterprises Co., Ltd.
No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan

Name and address of the factory

MEAN WELL Enterprises Co., Ltd.
No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248, Taiwan

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

Input rating: 100-199Vac,18A ,50/60Hz
Output rating: 28.8Vdc/55A
Input rating: 200-240Vac,17.7A, 50/60Hz
Output rating: 28.8Vdc/110A,
See test report for details

Trademark / Brand (if any)



Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

DBR-3200-xy, DBU-3200-xy, DHB-12K1UT-x, DHP-12K1UT-x, DHP-1UT-A, DPU-3200-48ADT, See Page 2

Additional information (if necessary may also be reported on page 2)

The report was revised to include technical modifications.

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

E183223-4789772275-1 Am 2 issued on 2021-01-27

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2021-02-01

Original Issue Date: 2018-02-09

Signature:

Jan-Erik Storgaard

Model Details:

Power Module: DBR-3200-xy, DRP-3200-xy (x can be 24 or 48; y can be blank or CAN), DRP-3200-48Y11 and DRP-3200-48Y12

Switching Mode Power Supply: DBU-3200-xy, DPU-3200-xz (x can be 24 or 48; y can be blank or CAN; z can be blank, PM or CAN), DPU-3200-48ADT

Rack System: DHP-1UT-A, DHP-12K1UT-x, DHB-12K1UT-x (x can be 24 or 48)

Factories:

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou,
China

SuZhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu
215152,
P.R. China

Additional Information:

Additionally evaluated to EN 62368-1:2014/A11:2017; National Differences specified in the CB Test Report.

The original report was modified to include the following changes/additions:

- Add new models
- Update National Differences

Additional information (if necessary)

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/names

Date: 2021-02-01

Original Issue Date: 2018-02-09

Signature:



Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product	Switching Mode Power Supply / Power Module / Rack System
Name and address of the applicant	MEAN WELL Enterprises Co., Ltd. NO 28 WUQUAN 3RD RD WUGU DISTRICT NEW TAIPEI CITY, 24891 TAIWAN
Name and address of the manufacturer	MEAN WELL Enterprises Co., Ltd. NO 28 WUQUAN 3RD RD WUGU DISTRICT NEW TAIPEI CITY, 24891 TAIWAN
Name and address of the factory	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248, Taiwan
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	<input checked="" type="checkbox"/> Additional Information on page 2 Input rating: 100-199Vac,18A ,50/60Hz Output rating: 28.8Vdc/55A Input rating: 200-240Vac,17.7A, 50/60Hz Output rating: 28.8Vdc/110A, See test report for details
Trademark / Brand (if any)	
Type of Customer's Testing Facility (CTF) Stage used	
Model / Type Ref.	DBR-3200-xy, DBU-3200-xy, DHB-12K1UT-x, DHP-12K1UT-x, DHP-1UT-A, DPU-3200-48ADT, See Page 2
Additional information (if necessary may also be reported on page 2)	The report was revised to include Technical Modifications. <input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	2007031-CB-M1 issued on 2020-10-19

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnamesDate: 2020-10-23
Original Issue Date: 2018-02-09

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-70600-M1-UL

Model Details:

Power Module: DBR-3200-xy, DRP-3200-xy (x can be 24 or 48; y can be blank or CAN)
Switching Mode Power Supply: DBU-3200-xy, DPU-3200-xz (x can be 24 or 48; y can be blank or CAN; z can be blank, PM or CAN), DPU-3200-48ADT
Rack System: DHP-1UT-A, DHP-12K1UT-x, DHB-12K1UT-x (x can be 24 or 48)

Factories:

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

SuZhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, P.R. China

Additional Information:

Additionally evaluated to EN 62368-1:2014/A11:2017; National Differences specified in the CB Test Report.
The original report was modified to include the following changes/additions:
1. Add model and relates input rating.
2. Update National differences.
3. Correction Applicant's and Manufacturer's Address.

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbcnames

Date: 2020-10-23
Original Issue Date: 2018-02-09

Signature: 
Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME**CB TEST CERTIFICATE**

Product

Switching Mode Power Supply / Power Module / Rack System

Name and address of the applicant

MEAN WELL Enterprises Co., Ltd.
No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248 Taiwan

Name and address of the manufacturer

MEAN WELL Enterprises Co., Ltd.
No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248 Taiwan

Name and address of the factory

MEAN WELL Enterprises Co., Ltd.
No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248
Taiwan

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

See page 2



Trademark (if any)

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

DBR-3200-xy, DBU-3200-xy, DHB-12K1UT-x, DHP-12K1UT-x,
DHP-1UT-A, DPU-3200-xz, See Page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 62368-1:2014/A11:2017. National
Difference specified in the CB Test Report. Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1(ed.2)

As shown in the Test Report Ref. No. which forms part of this Certificate

1711040-1-CB issued on 2018-02-08

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-02-09

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-70600-UL

Model Details:

Power Module:

DBR-3200-xy, DRP-3200-xy
(x can be 24 or 48; y can be blank or CAN)

Switching Power Supply:

DBU-3200-xy, DPU-3200-xz
(x can be 24 or 48; y can be blank or CAN; z can be blank, PM or CAN)

Rack System:

DHP-1UT-A, DHP-12K1UT-x, DHB-12K1UT-x
(x can be 24 or 48)

Ratings:

Input rating: 100-199Vac, 18A, 50/60Hz
Output rating: 28.8Vdc/55A

Input rating: 200-240Vac, 17.7A, 50/60Hz
Output rating: 28.8Vdc/110A,

See test report for details

Factories:

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou
China

SuZhou MEAN WELL Technology Co., Ltd.

No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu
215152
P.R. China

Additional information (if necessary)



UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA



UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK



UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN



UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/names

Date: 2018-02-09

Signature:

Jan-Erik Storgaard