



Ref. Certif. No.

**DK-76021-M1-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL ENTERPRISES CO LTD No 28 Wuquan 3rd Rd Wugu District New Taipei City 24891 Taiwan
Name and address of the manufacturer	MEAN WELL ENTERPRISES CO LTD No 28 Wuquan 3rd Rd Wugu District New Taipei City 24891 Taiwan
Name and address of the factory	Mean Well Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248, Taiwan
Note: When more than one factory, please report on page 2	<input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
Ratings and principal characteristics	I/P: 100-240Vac, 2.6A, 50/60Hz O/P: See test report for details.
Trademark / Brand (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	HRPX-200-Y <input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
Additional information (if necessary may also be reported on page 2)	The report was revised to include technical modifications. National Differences: EU Group Differences, AU, CA, DK, IT, JP, NZ, GB, US <input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-4788449173-1 Amendment 2 issued on 2024-05-22


This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2024-05-24  
Original Issue Date: 2018-08-28

Signature:   
Thomas Wilson



Ref. Certif. No.

**DK-76021-M1-UL**

**Factory(ies):**

SuZhou Mean Well Technology Co., Ltd.  
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, P.R. China

MEAN WELL (Guangzhou) Electronics Co., Ltd., Huadu Branch  
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

**Additional Model Detail(s):**

HRPX-200-Y, (X=G or blank, Y=3.3, 5, 7.5, 12, 15, 24, 36 or 48)

**Additionally evaluated to:**

EN 62368-1:2014, EN 62368-1:2014/A11:2017

**Summary of Modifications:**

1. Add alternative sources of Relay.
2. Add/Update the name and address of factories.

**Additional information (if necessary)**



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)


Date: 2024-05-24  
Original Issue Date: 2018-08-28

Signature:

Thomas Wilson

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL ENTERPRISES CO LTD 28 WUQUAN 3RD RD WUGU DIST NEW TAIPEI, 248 Taiwan
Name and address of the manufacturer	MEAN WELL ENTERPRISES CO LTD 28 WUQUAN 3RD RD WUGU DIST NEW TAIPEI, 248 Taiwan
Name and address of the factory <small>Note: When more than one factory, please report on page 2</small>	Mean Well Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248, Taiwan <input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	I/P: 100-240Vac, 2.6A, 50/60Hz O/P: See Model Differences for details.(See additional information)
Trademark (if any)	
Type of Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	HRPX-200-Y See Page 2
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-4788449173-1 Amendment 1 issued on 2018-10-04

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA  
 UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK  
 UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN  
 UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2018-10-09

Original Issue Date: 2018-08-28

Signature:

  
 Jan-Erik Storgaard

**Model Details:**

HRPX-200-Y X=G or blank; Y=3.3, 5, 7.5, 12, 15, 24, 36 or 48

**Factories:**

SuZhou Mean Well Technology Co., Ltd.

No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, P.R. China

MEAN WELL (Guangzhou) Electronics Co., Ltd.,Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District,Guangzhou, China

**Additional Information:**

Additionally evaluated to EN 62368-1:2014/ A11:2017; National Differences specified in the CB Test Report.

The original report was administratively modified to include the following changes/additions: Add missing Critical Component .

**Input and Output ratings:**

Model	Input rating	Output rating
HRPX-200-3.3	100-240Vac, 2.6A, 50/60Hz	+3.3Vdc/40A
HRPX-200-5		+5Vdc/35A
HRPX-200-7.5		+7.5Vdc/26.7A
HRPX-200-12		+12Vdc/16.7A
HRPX-200-15		+15Vdc/13.4A
HRPX-200-24		+24Vdc/8.4A
HRPX-200-36		+36Vdc/5.7A
HRPX-200-48		+48Vdc/4.3A

**Definition of variable(s):**

Variable:	Range of variable:	Content:
X	G or blank	For marketing purpose
Y	3.3, 5, 7.5, 12, 15, 24, 36 or 48	Define for output voltage

**Additional information (if necessary)**



UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2018-10-09

Original Issue Date: 2018-08-28

Signature:



Jan-Erik Storgaard




Ref. Certif. No.

**DK-76021-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME**

**CB TEST CERTIFICATE**

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL ENTERPRISES CO LTD 28 WUQUAN 3RD RD WUGU DIST NEW TAIPEI, 248 Taiwan
Name and address of the manufacturer	MEAN WELL ENTERPRISES CO LTD 28 WUQUAN 3RD RD WUGU DIST NEW TAIPEI, 248 Taiwan
Name and address of the factory <small>Note: When more than one factory, please report on page 2</small>	Mean Well Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248, Taiwan <input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
Ratings and principal characteristics	I/P: 100-240Vac, 2.6A, 50/60Hz O/P: See Model Differences for details.(See additional information)
Trademark (if any)	
Type of Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	HRPX-200-Y See Page 2
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-4788449173-1 Original issued on 2018-08-21

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2018-08-28

Signature:

Jan-Erik Storgaard

**Model Details:**

HRPX-200-Y X=G or blank; Y=3.3, 5, 7.5, 12, 15, 24, 36 or 48

**Factories:**

SuZhou Mean Well Technology Co., Ltd.

No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, P.R. China

MEAN WELL (Guangzhou) Electronics Co., Ltd., Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

**Additional Information:**

Additionally evaluated to EN 62368-1:2014/ A11:2017; National Differences specified in the CB Test Report.

**Input and Output ratings:**

Model	Input rating	Output rating
HRPX-200-3.3	100-240Vac, 2.6A, 50/60Hz	+3.3Vdc/40A
HRPX-200-5		+5Vdc/35A
HRPX-200-7.5		+7.5Vdc/26.7A
HRPX-200-12		+12Vdc/16.7A
HRPX-200-15		+15Vdc/13.4A
HRPX-200-24		+24Vdc/8.4A
HRPX-200-36		+36Vdc/5.7A
HRPX-200-48		+48Vdc/4.3A

**Definition of variable(s):**

Variable:	Range of variable:	Content:
X	G or blank	For marketing purpose
Y	3.3, 5, 7.5, 12, 15, 24, 36 or 48	Define for output voltage

**Additional information (if necessary)**



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2018-08-28

Signature:   
 Jan-Erik Storgaard